

# INCLINEO<sup>®</sup>

The high precision electronic inclinometer



## High precision inclinometer

PRÜFTECHNIK Condition Monitoring has developed a powerful system based on the high precision electronic inclinometer technology. INCLINEO® measures angularity at different positions on a surface enabling exact profile computation of machined surfaces. In combination with easy-to-mount bracketing, it measures the inclination along edges, borders and even on vertical shafts. Its rotatable housing makes it possible to take measurements at any angular position.

The integrated wireless technology, combined with a 3-key operation makes INCLINEO® versatile, ensuring flexibility during measurements, making it an effective partner in advanced applications.

## Advantages at a glance

- ▶ High precision electronic inclinometer for measurement of absolute or relative angles
- ▶ Rotatable housing allows measurement on surfaces with any inclination
- ▶ Outer ring with 30° marks and 5° scale on housing with integrated fine adjustment screw
- ▶ Wireless communication
- ▶ Powerful Windows® based PC software
- ▶ Compatible with PRÜFTECHNIK Alignment laser measuring systems
- ▶ Advanced filtering functions

## For advanced applications


- ▶ Measurement on surfaces with any inclination
- ▶ Level, flatness or parallelism of surfaces
- ▶ Angularity measurements along edges and borders
- ▶ Plumbness of vertical shafts
- ▶ Parallelism of sloping surfaces
- ▶ Perpendicularity of planes
- ▶ Ideal for installation and service

## Three key operation

With just 3 keys it is possible to select the most suitable measurement options for the application.

Rotatable housing allowing high precision measurements on surfaces with steep inclination

Menu/Enter key  
Arrow key



## INCLINEO® technical data

Measurement range	±10°	
Resolution	0.0003° [1"]	
Limits of error at calibration [Ta =22°C]	0.005% full scale 0.03% read out	
Limits of error at measurement [Ta =22°C]	Until 6 months after calibration	Until 12 months after calibration
	0.005% full scale 0.06% read out	0.005% full scale 0.12% read out
8-hour zero-point drift	0.04% full scale	
Digital Filter/Average	3rd order with 0.3 / 1 / 3 Hz options	
Temperature range	Storage: -40°C to 85°C Operation: -10°C to 60°C	
Display	LCD display, 132 x 32 pixel with LED backlight	
User interface	Three key operation	
Wireless communication	Embedded RF module with LED indicator	
External interface	RS-232 (serial) for computer and sensor; Connector for dial gauge	
Power supply	2 AA batteries	
Battery status indicator	3 LEDs	
Data storage	up to 999 measurements	

PRÜFTECHNIK Condition Monitoring is the market leader in precision alignment. Our 'Made in Germany' hi-tech instruments are used in four fifths of the top industrial organisations around the world. INCLINEO® is our latest high precision alignment system.

INCLINEO® is a registered trademark of PRÜFTECHNIK Dieter Busch AG. No copying or reproduction of this information, in any form whatsoever, may be undertaken without express written permission of PRÜFTECHNIK Condition Monitoring GmbH. The information contained in this leaflet is subject to change without further notice due to the PRÜFTECHNIK policy of continuous product development. PRÜFTECHNIK products are subject to patents granted or pending throughout the world. © Copyright 2017 by PRÜFTECHNIK Dieter Busch AG.



PRÜFTECHNIK Condition Monitoring GmbH  
Oskar-Messter-Str. 19-21  
85737 Ismaning, Germany  
Tel.: +49 89 99616-0  
Fax: +49 89 99616-200  
info@pruftechnik.com  
www.pruftechnik.com

A member of the PRUFTECHNIK Group